

Listing of Claims:

Please make the following amendments to the claims (material to be inserted is in **bold and underline**, and material to be deleted is in ~~strikeout~~ or (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[]]). In brief, applicants have canceled claims 15-30, in response to the restriction requirement.

1. (Original) A set for bone fixation, comprising:
at least two bone plates, each bone plate including a distinct color that indicates a distinct bone region to which the bone plate is configured to be secured.
2. (Original) The set of claim 1, wherein the distinct color indicates a left half or a right half of a skeleton in which the distinct bone region is disposed.
3. (Original) The set of claim 2, further comprising at least one other bone plate configured for use on each of the left half and the right half of a skeleton, the at least one other bone plate including a color that is distinct from the distinct colors of the at least two bone plates.
4. (Original) The set of claim 2, wherein the distinct color also indicates a particular bone region within one of the left half and the right half of the skeleton.
5. (Original) The set of claim 1, wherein each of the distinct bone regions is included in the same bone.
6. (Original) The set of claim 5, wherein the distinct bone regions are overlapping.

7. (Original) The set of claim 5, wherein the distinct bone regions are nonoverlapping.

8. (Original) The set of claim 1, wherein each distinct bone region is included in a different bone.

9. (Original) The set of claim 1, wherein each distinct bone region is included in one of a distal region of a humerus bone and a proximal region of an ulna bone.

10. (Original) The set of claim 1, wherein at least one of the bone plates includes at least one prong configured to engage bone when the bone plate is secured to bone.

11. (Original) The set of claim 1, wherein at least one of the bone plates has a first portion configured to be secured adjacent an end of a long bone and a second portion configured to be secured toward or on a shaft of the long bone, and wherein the first portion of the bone plate is thinner on average than the second portion of the bone plate.

12. (Original) The set of claim 1, wherein at least one of the bone plates includes a curved bone-facing surface configured to match the curved contour of the distinct bone region to which the at least bone plate is configured to be secured.

13. (Original) The set of claim 1, further comprising instructions that relate each bone plate to the distinct bone region to which the bone plate is configured to be secured.

14. (Original) A method of bone fixation, comprising:
- selecting a distinct bone region for fixation;
 - selecting one of the at least two bone plates of claim 1 according to the distinct color of the one bone plate that indicates the distinct bone region; and
 - securing the one bone plate to the distinct bone region.
- 15-30. (Canceled)